

## **HDC Rabbit pAb**

CatalogNo: YT5225

### **Key Features**

**Host Species** 

Rabbit

Reactivity

· Human, Mouse, Rat

Applications
• WB,IHC,IF,ELISA

MW

72kD (Observed)

IsotypeIgG

### Recommended Dilution Ratios

WB 1:500-1:2000 IHC: 1:100-300 ELISA 1:20000 IF 1:50-200

### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

### Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from the Internal

region of human HDC. AA range:201-250

**Specificity** HDC Polyclonal Antibody detects endogenous levels of HDC protein.

# | Target Information

**Gene name** 

**HDC** 

#### **Protein Name**

Histidine decarboxylase

Organism	Gene ID	UniProt ID
Human	<u>3067</u> ;	<u>P19113;</u>
Mouse	<u>15186;</u>	<u>P23738;</u>
Rat		<u>P16453</u> ;

#### Cellular Localization


cytosol,

#### Tissue specificity Leukemia,


#### **Function**

Catalytic activity:L-histidine = histamine + CO(2).,cofactor:Pyridoxal phosphate.,pathway:Amine and polyamine biosynthesis; histamine biosynthesis; histamine from L-histidine: step 1/1.,similarity:Belongs to the group II decarboxylase family.,subunit:Homodimer.,


### **Validation Data**




Western Blot analysis of K562 cells using HDC Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded Human stomach. 1, Antibody was diluted at 1:200(4° overnight). 2, High-pressure and temperature EDTA, pH8.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).



Western blot analysis of lysate from K562 cells, using HDC Antibody.

## | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **HDC Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody   ELISA Kits   Protein   Reagents
	Immunoway - 4 / 4