

DCI Rabbit pAb

CatalogNo: YT5229

Key Features

Host Species

• Rabbit • Human.Rat.Mo

Isotype

IgG

Reactivity Applications
• Human,Rat,Mouse, • WB,IHC,IF,ELISA

MW30kD (Observed)

Recommended Dilution Ratios

WB 1:500-1:2000 IHC: 1:100-300 ELISA 1:20000 IF 1:50-200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from DCI . at AA range: c-terminal

Specificity DCI Polyclonal Antibody detects endogenous levels of DCI protein.

| Target Information

Gene name

ECI1

Protein Name

Enoyl-CoA delta isomerase 1 mitochondrial

Organism	Gene ID	UniProt ID	
Human	<u>1632</u> ;	<u>P42126;</u>	
Mouse		<u>P42125;</u>	


Cellular Localization Mitochondrion matrix.

Tissue specificity Expressed in liver (at protein level).


Function

Catalytic activity:(3Z)-dodec-3-enoyl-CoA = (2E)-dodec-2-enoyl-CoA.,Function:Able to isomerize both 3-cis and 3-trans double bonds into the 2-trans form in a range of enoyl-CoA species.,pathway:Lipid metabolism; fatty acid beta-oxidation.,similarity:Belongs to the enoyl-CoA hydratase/isomerase family., subunit: Homotrimer.,

| Validation Data



Western Blot analysis of HepG2 cells using DCI Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:100

| Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **DCI Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents