

## **CD58 Rabbit pAb**

CatalogNo: YT5251

### Key Features

Host Species Reactivity Applications

Rabbit
 Human
 WB,IHC,IF,ELISA

MW Isotype
• 27kD (Observed) • IgG

#### Recommended Dilution Ratios

WB 1:500-1:2000 IHC: 1:100-300 ELISA 1:20000 IF 1:50-200

#### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from the Internal

region of human CD58. AA range:31-80

**Specificity** CD58 Polyclonal Antibody detects endogenous levels of CD58 protein.

# | Target Information

Gene name CD58

**Protein Name** Lymphocyte function-associated antigen 3

Organism	Gene ID	UniProt ID

Human <u>965;</u> <u>P19256;</u>


Cellular Localization [Isoform 1]: Cell membrane; Single-pass type I membrane protein.

Tissue specificity Brain, Erythrocyte,


**Function** 

Function:Ligand of the T-lymphocyte CD2 glycoprotein. This interaction is important in mediating thymocyte interactions with thymic epithelial cells, antigen-independent and -dependent interactions of T-lymphocytes with target cells and antigen-presenting cells and the T-lymphocyte rosetting with erythrocytes. In addition, the LFA-3/CD2 interaction may prime response by both the CD2+ and LFA-3+ cells., similarity: Contains 1 lg-like C2-type (immunoglobulin-like) domain.,

#### **I** Validation Data




Western Blot analysis of K562 cells using CD58 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-spleen, antibody was diluted at 1:100



Western blot analysis of lysate from K562 cells, using CD58 Antibody.

### | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CD58 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody   ELISA Kits   Protein   Reagents
	Immunoway - 4 / 4