**Applications** 

WB,ELISA



# **Tensin-2 Rabbit pAb**

CatalogNo: YT5659

### **Key Features**

**Host Species** Reactivity

 Rabbit Human, Mouse

Isotype

MW 125kD (Observed) IgG

### **Recommended Dilution Ratios**

WB 1:500-1:2000 **ELISA 1:10000** 

Not yet tested in other applications.

### **Storage**

-15°C to -25°C/1 year(Do not lower than -25°C) Storage\*

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

Polyclonal **Clonality** 

### Immunogen Information

The antiserum was produced against synthesized peptide derived from human Tensin-2. **Immunogen** 

AA range:439-488

**Specificity** Tensin-2 Polyclonal Antibody detects endogenous levels of Tensin-2 protein.

## Target Information

#### Gene name

TENC1

#### **Protein Name**

Tensin-like C1 domain-containing phosphatase

Organism	Gene ID	UniProt ID
Human	<u>23371;</u>	<u>Q63HR2</u> ;
Mouse	209039;	Q8CGB6;

### Cellular Localization


Cell junction, focal adhesion. Cell membrane; Peripheral membrane protein; Cytoplasmic side. Detected at the end of actin stress fibers. Detected in cytoplasmic punctate bodies (PubMed:22019427). .

Tissue specificity Detected in heart, kidney, brain, thymus, spleen, liver, placenta, lung, skeletal muscle and small intestine.


### **Function**

Function: Regulates cell motility and proliferation. May have phosphatase activity. Reduces AKT1 phosphorylation. Lowers AKT1 kinase activity and interferes with AKT1 signaling., similarity: Contains 1 C2 tensin-type domain., similarity: Contains 1 phorbolester/DAG-type zinc finger., similarity: Contains 1 phosphatase tensin-type domain., similarity: Contains 1 SH2 domain., subcellular location: Detected at the end of actin stress fibers...subunit:Interacts with AXL..tissue specificity:Detected in heart, kidney, brain. thymus, spleen, liver, placenta, lung, skeletal muscle and small intestine.,

### **Validation Data**



Western blot analysis of A549 3T3 using Tensin-2 antibody. Antibody was diluted at 1:500. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of lysates from HepG2 cells, using Tensin-2 antibody.

### | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

**Tensin-2 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents