

www.immunoway.com.cn

CD151 Rabbit pAb

CatalogNo: YT5932

Key Features

Host Species

Rabbit

Reactivity

Human,Mouse,Rat

Applications

IHC,IF,ELISA

Isotype

• IgG

Recommended Dilution Ratios

IHC 1:50-200 ELISA 1:10000-20000 IF 1:50-200

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenSynthetic peptide from human protein at AA range: 91-140SpecificityThe antibody detects endogenous CD151

Target Information

Gene name CD151 TSPAN24

CD151 antigen (GP27) (Membrane glycoprotein SFA-1) (Platelet-endothelial tetraspan antigen 3) (PETA-3) (Tetraspanin-24) (Tspan-24) (CD antigen CD151)

Organism	Gene ID	UniProt ID
Human	<u>977;</u>	<u>P48509;</u>
Mouse	<u>12476;</u>	<u>035566;</u>
Rat		<u>Q9QZA6;</u>

Cellular Membrane; Multi-pass membrane protein.

Localization

- **Tissue specificity** Expressed in a variety of tissues including vascular endothelium and epidermis. Expressed on erythroid cells, with a higher level of expression in erythroid precursors than on mature erythrocytes.
- Function Disease:Defects in CD151 are the cause of nephropathy with pretibial epidermolysis bullosa and deafness (NPEBD) [MIM:609057]. NPEBD is characterized by the association of hereditary nephritis, epidermolysis bullosa, deafness, and beta-thalassemia minor.,Function:Essential for the proper assembly of the glomerular and tubular basement membranes in kidney.,induction:By HTLV-1.,online information:Blood group antigen gene mutation database,polymorphism:CD151 defines the MER2=RAPH1 antigen of the RAPH blood group system. 92% of Caucasians are MER2-positive and 8% are apparently MER2-negative.,similarity:Belongs to the tetraspanin (TM4SF) family.,subunit:Interacts with integrins alpha3beta1, alpha5beta1, alpha3beta1 and alpha6beta4, with CD9 and CD181.,tissue specificity:Expressed in a variety of tissues including vascular endothelium and epidermis. Expressed on erythroid cells, with a higher level of expression in erythroid precursors than on mature erythrocytes.,

Validation Data



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200

Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CD151 Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3