

# **FAP Rabbit pAb**

CatalogNo: YT6136

# **Key Features**

**Host Species** 

Rabbit

Reactivity

· Human, Mouse, Rat

ApplicationsWB,ELISA

MW

90kD (Observed)

IsotypeIgG

### **Recommended Dilution Ratios**

WB 1:500-2000

ELISA 1:10000-20000

# Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

# Immunogen Information

Immunogen Synthesized peptide derived from human FAP-1 Polyclonal

**Specificity** This antibody detects endogenous levels of FAP-1.

# **| Target Information**

Gene name FAP

#### **Protein Name**

Seprase (170 kDa melanoma membrane-bound gelatinase) (Fibroblast activation protein alpha) (Integral membrane serine protease)

Organism	Gene ID	UniProt ID
Human	<u>2191;</u>	<u>Q12884;</u>
Mouse	<u>14089</u> ;	<u>P97321;</u>

### Cellular Localization


[Prolyl endopeptidase FAP]: Cell surface . Cell membrane ; Single-pass type II membrane protein. Cell projection, lamellipodium membrane; Single-pass type II membrane protein. Cell projection, invadopodium membrane ; Single-pass type II membrane protein . Cell projection, ruffle membrane; Single-pass type II membrane protein. Membrane; Singlepass type II membrane protein. Localized on cell surface with lamellipodia and invadopodia membranes and on shed vesicles. Colocalized with DPP4 at invadopodia and lamellipodia membranes of migratory activated endothelial cells in collagenous matrix. Colocalized with DPP4 on endothelial cells of capillary-like microvessels but not large vessels within invasive breast ductal carcinoma. Anchored and enriched preferentially by integrin alpha-3/beta-1 at invadopodia, plasma membrane protrusions that correspond to sites of cell invasion, in a collagen-dependent manner. Localized at plasma and ruffle membranes in a collagenindependent manner. Colocalized with PLAUR preferentially at the cell surface of invadopodia membranes in a cytoskeleton-, integrin- and vitronectin-dependent manner. Concentrated at invadopodia membranes, specialized protrusions of the ventral plasma membrane in a fibrobectin-dependent manner. Colocalizes with extracellular components (ECM), such as collagen fibers and fibronectin. .; [Antiplasmin-cleaving enzyme FAP, soluble form]: Secreted . Found in blood plasma and serum. .; [Isoform 2]: Cytoplasm .

**Tissue specificity** Expressed in adipose tissue, Expressed in the dermal fibroblasts in the fetal skin. Expressed in the granulation tissue of healing wounds and on reactive stromal fibroblast in epithelial cancers. Expressed in activated fibroblast-like synoviocytes from inflamed synovial tissues. Expressed in activated hepatic stellate cells (HSC) and myofibroblasts from cirrhotic liver, but not detected in normal liver. Expressed in glioma cells (at protein level). Expressed in glioblastomas and glioma cells. Isoform 1 and isoform 2 are expressed in melanoma, carcinoma and fibroblast cell lines.

#### **Function**

Catalytic activity: Degrades gelatin and heat-denatured type I and type IV collagen, but not native type I or type IV collagen. Does not cleave laminin, fibronectin, fibrin or casein., Function: May have a role in tissue remodeling during development and wound healing, and may contribute to invasiveness in malignant cancers.,induction:In fibroblasts at times and sites of tissue remodeling during development, tissue repair, and carcinogenesis.,PTM:N-glycosylated.,PTM:The N-terminus may be blocked., similarity: Belongs to the peptidase S9B family., subcellular location: Found in cell surface lamellipodia, invadopodia and on shed vesicles...subunit:Homodimer, or heterodimer with DPP4. The monomer is inactive., tissue specificity: Fibroblast specific.,

# Validation Data



Western blot analysis of mouse-lung lysate, antibody was diluted at 1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

# | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **FAP Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents