

## URAD Rabbit pAb

CatalogNo: YT6537

### Key Features

#### Host Species

- Rabbit

#### Reactivity

- Human, Mouse

#### Applications

- WB

#### MW

- 19kD (Calculated)

#### Isotype

- IgG

### Recommended Dilution Ratios

WB 1:500-2000

### Storage

**Storage\*** -15°C to -25°C/1 year (Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### Basic Information

**Clonality** Polyclonal

### Immunogen Information

**Immunogen** Synthesized peptide derived from human URAD AA range: 80-130

**Specificity** This antibody detects endogenous levels of URAD at Human/Mouse

### Target Information

**Gene name** PRHOXNB

**Protein Name** URAD

**Organism**

**Gene ID**

**UniProt ID**

Human

[646625](#);

[A6NGE7](#);

Mouse

[231903](#);

[Q283N4](#);

**Cellular  
Localization**


Peroxisome .

**Tissue specificity** Apparently not expressed.

**Function**

Catalytic activity:5-hydroxy-2-oxo-4-ureido-2,5-dihydro-1H-imidazole-5-carboxylate = (S)-allantoin + CO(2).,Caution:Could be the product of a pseudogene. In primates the genes coding for the enzymes for the degradation of uric acid were inactivated and converted to pseudogenes.,Function:Catalyzes the stereoselective decarboxylation of 2-oxo-4-hydroxy-4-carboxy-5-ureidoimidazoline (OHCU) to (S)-allantoin .,pathway:Purine metabolism; uric acid degradation; (S)-allantoin from uric acid: step 3/3.,similarity:Belongs to the OHCU decarboxylase family.,tissue specificity:Apparently not expressed.,

## Validation Data



Western blot analysis of lysates from HpeG2 cells, primary antibody was diluted at 1:1000, 4° over night

## Contact information

Orders: order.cn@immunoway.com  
Support: support.cn@immunoway.com  
Telephone: 400-8787-807(China)  
Website: <http://www.immunoway.com.cn>  
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:  
**URAD Rabbit pAb**

