

www.immunoway.com.cn

NAA20 Rabbit pAb

CatalogNo: YT6829

Key Features

Host Species Rabbit 	ReactivityHuman,Mouse	Applications WB,ELISA,IHC
MW • 20kD (Calculated)	lsotype • lgG	

Recommended Dilution Ratios

WB 1:500-2000 IHC 1:50-300 ELISA 1:2000-20000

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenSynthesized peptide derived from human NAA20 AA range: 93-143SpecificityThis antibody detects endogenous levels of NAA20 at Human/Mouse


Target Information

Gene name NAA20 NAT5


Protein Name NAA20

	Organism	Gene ID	UniProt ID
	Human	<u>51126;</u>	<u>P61599;</u>
	Mouse	<u>67877;</u>	<u>P61600;</u>
Cellular Localization	Cytoplasm . Nucleus .		
Function	Function:Seems to be involved in N-acetylation.,similarity:Belongs to the acetyltransferase family. ARD1 subfamily.,similarity:Contains 1 N-acetyltransferase domain.,		

Validation Data



Western blot analysis of lysates from 3T3 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human spleen. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **NAA20 Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3